

PRODUCTS AND THEIR FILTERS



IT'S TIME FOR
**AIR FILTER
MAINTENANCE!**



INDEX:

VENTO Expert A50-1 Pro/W V.2	02
VENTO Expert DUO A30-1 Pro/W V.2	03
Freshbox 100 WiFi.....	03
CIVIC EC DB.....	04
CIVIC EC LB	05
KOMFORT EC D5B 180.....	06
KOMFORT EC SB 350/550	06
KOMFORT Roto EC S.....	07
KOMFORT Roto EC D (E)	08
KOMFORT Ultra D105/D105-A	09

PRODUCTS AND THEIR FILTERS

SPRING CLEANING

Learn about the suitable filters for your ventilation system and maintain it now!

Filters should be maintained regularly, in accordance with their location and the degree of air pollution. To ensure a smooth operation of your ventilation system we recommend filter maintenance or replacement 3 to 4 times per year.

Please refer to the respective manual of your ventilation system for exact information and guidelines. Feel free to contact us via e-mail:

(info@blaubergventilatoren.de) or phone (+49 89 785 08 088) for any questions and further information.

All manuals are also available as download on our website www.blaubergventilatoren.de.

Here you can see a selection of our top sellers and the suitable filters.

VENTO EXPERT A50-1 PRO/W V.2

Single-room heat recovery unit

Filter facts

- Vacuum cleaning and washing of the G3 filters is possible.
- Reinstall fully dried filters only.
- Filter maintenance 3 to 4 times per year
- 1 set of filters needed for replacement.
- Upgrade with F8 pollen filter is possible.



Air flow:
up to 50 m³/h



Heat recovery efficiency:
up to 93 %



Power:
from 3,61 W



Noise level:
from 11 dB(A)



Filters	Description	Article number
FP VENTO Expert A50 G3	G3 filters (2 pcs)	8020827
FP Vento Expert A50 F8	F8 filters for first use (with holding device)	8001420
AFP VENTO Expert A50 F8	F8 - replaceable filter insert	8012815


PRODUCTS AND THEIR FILTERS

VENTO EXPERT DUO A30-1 PRO/W V.2

Single-room heat recovery unit

Filter facts

- Vacuum cleaning and washing of the filters is possible.
- Filter maintenance 3 to 4 times per year
- 1 set of filters needed for replacement.



Air flow:
up to 30 m³/h



Heat recovery efficiency:
up to 85 %



Power:
from 2,00 W



Noise level:
from 24 dB(A)



Filters

Article number

FP Vento Expert Duo A30 G3 (2 pcs)


8035678

FRESHBOX 100 WiFi

Single-room heat recovery unit

Filter facts

- Filter maintenance 3 to 4 times per year
- Supply air filtration with G4 and F8 panel filters, exhaust air filtration with G4 panel filters.



Air flow:
up to 100 m³/h



Heat recovery efficiency:
up to 96 %



Noise level:
from 13 dB(A)



Filters

Article number

FP 193x158x18 G4 PPI
G4 filters (2 pcs)

8029493

FP 193x158x47 F8
F8 filter (1 pc)

8029516


PRODUCTS AND THEIR FILTERS

CIVIC EC DB

The decentral solution for offices and schools

Filterfacts

- Filters can be cleaned with vacuum cleaner.
- Filter maintenance 3 to 4 times per year
- 1 set of filters needed for replacement.



Air flow:
up to 1000 m³/h



Heat recovery efficiency:
up to 93 %



- Super simple filter replacement
- Open filter panels, pull out supply and exhaust air filters, install new filters and close panels.



G4 filter



carbon filter F8



HEPA filter H11

Model	Filters	Article number
CIVIC EC DB (E(2)) 300	FP 270x216x48 G4	8071300
	FP 270x216x48 F8	8071317
	FP 518x270x48 F8 C	8074929
	FP 518x270x48 H11	8074967
CIVIC EC DB (E(2)) 500	FP 325x388x48 G4	8071324
	FP 325x314x48 F8	8071331
	FP 714x320x48 F8 C	8074936
	FP 714x320x48 H11	8074974
CIVIC EC DB (E(2)) 1000	FP 480x327x48 G4 (2 Stk.)	8073908
	FP 480x327x48 F7 (2 Stk.)	8073915


PRODUCTS AND THEIR FILTERS

CIVIC EC LB

The decentral solution for offices and schools

Filterfacts

- Filters can be cleaned with vacuum cleaner.
- Filter maintenance 3 to 4 times per year
- 1 set of filters needed for replacement.



Air flow:
up to 1240 m³/h



Heat recovery efficiency:
up to 96 %



- Super simple filter replacement
- Open filter panels, pull out supply and exhaust air filters, install new filters and close panels.

Model	Filters	Article number
CIVIC EC LB...300 S21	FP 308x238x22 G4 PPI	8071355
	FP 265x213x48 G4	8071348
	FP 384x273x60 F8	8071386
	FP 533x135x48 F8 C	8074943
	FP 533x135x60 H11	8074981
CIVIC EC LB...300 S14	FP 308x238x22 G4 PPI	8071355
	FP 265x213x48 G4	8071348
	FP 384x273x60 F8	8071386
	FP 533x135x48 F8 C	8074943
	FP 533x135x60 H11	8074981
CIVIC EC LB...500 S21	FP 450x257x27 G4 PPI	8071362
	FP 318x290x22 G4	8071379
	FP 318x290x60 F8	8071393
	FP 666x196x48 F8 C	8074950
	FP 666x196x60 H11	8074998
CIVIC EC LB... 500 S14	FP 450x257x27 G4 PPI	8071362
	FP 318x290x22 G4	8071379
	FP 318x290x60 F8	8071393
	FP 666x196x48 F8 C	8074950
	FP 666x196x60 H11	8074998
CIVIC EC LB...1200 S21	FP 450x395x48 G4 PPI	8073922
	FP 540x450x48 G4	8073939
	FP 540x450x48 F7	8073946


PRODUCTS AND THEIR FILTERS

KOMFORT EC D5B 180

Air handling unit with heat recovery

Filter facts

- Filters can be cleaned with vacuum cleaner.
- Replace filters every 6 to 12 months, depending on degree of pollution, but no later than after the 2nd cleaning.
- 2 sets of filters needed for replacement.



Air flow:
up to 220 m³/h



Heat recovery efficiency:
up to 98 %



Power:
from 178 W



Noise level:
from 33 dB(A)



- Super simple filter replacement
- Open filter panels, pull out supply and exhaust air filters, install new filters and close panels.




Filters	Article number
FP 214x186x18 G4	8054396
FP 214x186x48 F7	8054402

KOMFORT EC SB 350/550

Air handling unit with heat recovery

Filter facts

- Filters can be cleaned with vacuum cleaner.
- Replace filters every 6 to 12 months, depending on degree of pollution, but no later than after the 2nd cleaning.
- Needed for filter replacement: 1 x G4 for exhaust air, 1 x F7 for supply air



Air flow:
up to 690 m³/h



Heat recovery efficiency:
up to 93 %



Power:
from 178 W



Noise level:
from 26 dB(A)



- Super simple filter replacement
- Open front panel, pull out supply and exhaust air filters, install new filters and close front panel.



Model	Filters	Article number
Komfort EC SB350	FP 196x500x40 G4	8044977
Komfort EC SB350	FP 196x500x40 F7	8045004
Komfort EC SB550	FP 198x630x40 G4	8044984
Komfort EC SB550	FP 198x630x40 F7	8045011


PRODUCTS AND THEIR FILTERS

KOMFORT RoTo EC S

Air handling unit with rotary heat exchanger

Filterfacts

- Filters can be cleaned with vacuum cleaner.
- Replace filters every 6 to 12 months, depending on degree of pollution, but no later than after the 2nd cleaning.
- Install only dry filters.
- Needed for filter replacement: 1 x G4 for exhaust air, 1 x F7 for supply air



Air flow:
up to 670 m³/h



Heat recovery efficiency:
up to 92 %



- Super simple filter replacement
- Open filter panels, pull out supply and exhaust air filters, install new filters and close panels.

Model	Filters	Article number
KOMFORT Roto EC S2 (E)280	FP 400x196x40 G4	8052392
	FP 400x196x40 F7	8052408
KOMFORT Roto EC S2 (E)400	FP 400x196x40 G4	8052392
	FP 400x196x40 F7	8052408
KOMFORT Roto EC S2 (E)600	FP 536x220x40 G4	8058684
	FP 536x220x40 F7	8058691

PRODUCTS AND THEIR FILTERS

KOMFORT Roto EC D(E)

Suspended heat recovery air handling unit

Filterfacts


- Filters can be cleaned with vacuum cleaner.
- Replace filters every 6 to 12 months, depending on degree of pollution, but no later than after the 2nd cleaning.
- Install only dry filters.
- Needed for filter replacement: 1 x G4 for exhaust air, 1 x F7 for supply air



Air flow:
up to 710 m³/h



Heat recovery efficiency:
up to: 87 %



- Super simple filter replacement
- Open filter panels, pull out supply and exhaust air filters, install new filters and close panels.

Model	Filters	Article number
KOMFORT Roto EC D2 (E)250	FP 280x180x48 G4	8075537
	FP 280x180x48 F7	8075544
KOMFORT Roto EC D (E)250	FP 260x220x48 G4	8075612
	FP 260x220x48 F7	8075629
KOMFORT Roto EC D2 (E)350	FP 372x180x48 G4	8075643
	FP 372x180x448 F7	8075650

PRODUCTS AND THEIR FILTERS

KOMFORT ULTRA D105/D105-A

Affordable single-room heat recovery unit

Filter facts

- Clean with vacuum cleaner or water.
- Replace filters every 6 to 12 months, depending on degree of pollution, but no later than after the 2nd cleaning.
- Install only dry filters.
- 2 filter sets needed for replacement.



Air flow:
up to 106 m³/h




Heat recovery efficiency:
up to 76 %



Power:
from 30 W



Noise level:
from 24 dB(A)



Model	Filters	Article number
KOMFORT Ultra D105	FP 240x202x8 G4	8045165
KOMFORT Ultra D105-A	FP 198x205x8 G4	8045172